




Power Screens are designed to filter out sun's harmful effects while preserving the beautiful outdoor view. With a touch of a button, the power screens provide on-demand control of the sun's harmful UV rays. Maintain your view while being protected from the sun's glare and keep out the bugs so you can enjoy time with family & friends.

- ▼ Screen widths up to 25'0" wide (cassette size & fabric dependent)
- ▼ Screen drops up to 20'0" (cassette size & fabric dependent)
- ▼ Up to 5 standard hardware colors and 13 premium hardware colors
- ▼ Choose from a variety of long lasting fabric choices from **PHIFER** and 
- ▼ Motorized push operation by **somfy**
- ▼ Obstacle detection enabled motors
- ▼ UL listed, 110 volt, 2.5 amps max motor
- ▼ Reducing cooling costs of up to 60%


PRODUCT DETAILS AND TECHNICAL SPECS

HARDWARE COLOR OPTIONS

STANDARD HARDWARE COLORS:



PREMIUM HARDWARE COLORS:



NOTE!

Please note that colors may differ slightly from how it appears in this document.

SIZE RANGES

(SIDE RETENTION SYSTEM)

SERIES 3

UP TO 10'0" WIDE X 7'0" DROP

SERIES 4

UP TO 18'0" WIDE X 10'0" DROP

SERIES 5*

UP TO 25'0" WIDE X UP TO 20'0" DROP

CABLE SCREENS

SERIES 3

UP TO 10'0" WIDE X 7'0" DROP

SERIES 4



UP TO 14'0" WIDE X 10'0" DROP

SERIES 5

UP TO 18'0" WIDE X UP TO 16'0" DROP


*Series 5 units can be designed much wider, ask your dealer for details

UNIT PROFILE VIEWS




PRODUCT & INSTALLATION OPTIONS


SURFACE SIDE TRACK




RECESSED SIDE TRACK





"L" ANGLE EXTRUSION



HEM BAR OPTIONS




CABLE MOUNTING OPTIONS



CABLE GUIDED SCREEN

WALL MOUNT BRACKET



FLOOR MOUNT BRACKET

